




( 583022116 )

# Agrohellas NP 18-46-0 DAP



1.11




3.01 mm



0.99 kg/l



15.1



ZATS															
TS 1	15	36	600	A	1	500	1	23	500	1	33	500	18	-3	170
	16	38	600	A	1	720	1	22	600	1	32	500	18	-2	190
	18	43	600	A	1	720	1	21	600	1	31	500	19	0	230
	20	43	720	A	1	600	1	18	600	1	28	500	21	-1	220
	21	44	800	A	1	720	1	18	720	1	28	600	23	-2	210
	24	48	900	A	1	800	1	18	800	1	28	720	26	-1	240
	27	52	900	A	1	800	1	17	800	1	27	720	26	1	280
	28	54	900	A	1	800	1	16	800	1	26	720	26	2	290
TS 2	21	11	600	B	3	720	3	26	600	3	36	500	23	-2	170
	24	17	600	D	X	500	1	25	600	1	35	500	24	1	230
	27	19	720	B	3	800	3	24	720	3	34	600	27	0	220
	28	21	720	D	X	600	1	23	720	1	33	600	27	1	230
	30	22	800	B	3	900	3	23	800	3	33	720	29	1	230
	32	23	900	D	X	720	1	22	800	1	32	720	32	0	220
	33	25	900	D	X	800	1	24	900	1	34	800	32	1	240
	36	29	900	D	X	800	1	23	900	1	33	800	32	3	280
TS 3	24	10	600	C	2	720	2	24	600	2	34	500	27	-3	170
	27	15	600	C	3	720	3	21	600	3	31	500	28	-0	220
	28	17	600	C	3	720	3	21	600	3	31	500	28	0	240
	30	17	720	C	3	800	3	21	720	3	31	600	31	-1	210
	32	19	800	C	3	900	3	21	800	3	31	720	33	-1	210



( 583022116 )

### Agrohellas NP 18-46-0 DAP



1.11




3.01 mm



0.99 kg/l



15.1



ZATS															
TS 3	33	20	900	C	3	900	3	21	800	3	31	720	35	-2	210
	36	23	900	C	3	900	3	21	800	3	31	720	35	0	240
	39	27	900	D	X	800	1	20	900	1	30	800	35	2	280
	40	28	900	D	X	800	1	19	900	1	29	800	36	2	290
	42	31	900	D	X	800	1	18	900	1	28	800	36	4	310



	Working width		Rate reduction in %
	Delivery system		Switch-on point [m]
	Spreading disc speed		Switch-off point [m]
	Side spreading		Throwing angle
	Boundary spreading		throw distance
	Water course spreading		Calibration factor
	Telescope		Granule diameter
	Telescope position		Bulk density

PTO shaft	1 : 1.33	Spreading disc speed
375		500
415		550
450		600
540		720
600		800
650		870
675		900
750		1000