




(583022117)

Agrohellas NS 36-0-0



3.78 mm 0.83 kg/l



ZAX						
Omnia-Set X Perfect	10	8 / 38	720	-	-	-
	12	8 / 39	720	-	-	-
	15	10 / 40	720	-	-	-
	16	10 / 41	720	-	-	-



kg / ha		Breite																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	8,0	8	9	9,5	10	10,5	11	11	11,5	12	12,5	13	13	13,5	14	14,5	14,5	15	15,5	16	17	17,5	19,5	21	23	25
	10,0	8,5	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	17,5	18	19	20	22,5	25	28	-
	12,0	9	9,5	10,5	11	11,5	12	13	13,5	14	14,5	15	15,5	16,5	17	17,5	18	19	19,5	20	21,5	23	26,5	29,5	-	-
12	8,0	8,5	9	10	10,5	11	11,5	12	12,5	13	13	13,5	14	14,5	15	15,5	16	16,5	17	17,5	18,5	19,5	22	24,5	27	29,5
	10,0	9	9,5	10,5	11	11,5	12	13	13,5	14	14,5	15	15,5	16,5	17	17,5	18	19	19,5	20	21,5	23	26,5	29,5	-	-
	12,0	9	10	11	11,5	12,5	13	13,5	14,5	15	16	16,5	17,5	18	19	19,5	20,5	21,5	22	23	25	27	-	-	-	-
15	8,0	9	9,5	10,5	11	11,5	12	13	13,5	14	14,5	15	15,5	16,5	17	17,5	18	19	19,5	20	21,5	23	26,5	29,5	-	-
	10,0	9,5	10	11	11,5	12,5	13	14	14,5	15,5	16	17	17,5	18,5	19,5	20	21	22	23	24	26	28	-	-	-	-
	12,0	9,5	10,5	11,5	12,5	13,5	14,5	15	16	17	18	19	20	21	22	23	24,5	25,5	26,5	28	-	-	-	-	-	-
16	8,0	9	10	10,5	11	12	12,5	13	13,5	14,5	15	15,5	16,5	17	17,5	18,5	19	19,5	20,5	21	22,5	24,5	28	-	-	-
	10,0	9,5	10,5	11	12	13	13,5	14,5	15	16	17	17,5	18,5	19,5	20	21	22	23	24	25	27,5	29,5	-	-	-	-
	12,0	10	11	12	13	13,5	14,5	15,5	16,5	17,5	18,5	19,5	21	22	23	24,5	25,5	27	28,5	29,5	-	-	-	-	-	-



	Working width		Water course spreading
	Vane setting		Limiter
	Spreading disc speed		Calibration factor
	Side spreading		Granule diameter
	Boundary spreading		Bulk density

PTO shaft	1 : 1.33	Spreading disc speed
375		500
415		550
450		600
540		720
600		800
650		870
675		900
750		1000