



(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90















3.74 mm



0.99 kg/l



ZAM										
										
OS 10-12	₁ 10	76 / 82	600	A12	A15	25	2	₂ A15	30	5
	₁ 12	76 / 82	600	A10	A13	25	2	₁ A13	30	5
OS 10-18	₁ 10	77 / 84	600	A12	A15	25	2	₂ A15	30	5
	₁ 12	77 / 86	600	A10	A13	25	2	₁ A13	30	5
	15	77 / 86	720	B8	B12	27	3	B15	32	6
	16	77 / 86	720	B7	B10	27	3	B14	32	6
OS 20-28	18	76 / 82	720	B5	B9	27	3	B13	32	6
	20	76 / 82	720	B6	B12	30	4	B15	35	7
	21	76 / 82	720	B4	B11	30	4	B14	35	7
	24	76 / 82	720	B2	B10	35	5	B12	40	8
OS 30-36	24	71 / 82	720	B2	B10	35	5	B12	40	8
	27	71 / 84	720	B1	B9	35	5	B12	40	8
	28	71 / 84	720	B0	B6	35	5	B12	40	8
	30	72 / 84	720	B0	B8	37	6	B11	42	9
	32	73 / 84	720	B0	B7	37	6	B10	42	9
	33	73 / 84	720	B0	B6	37	6	B9	42	9
	36	74 / 85	720	B0	B5	37	6	B8	42	9

1. Ταχύτητα περιστροφής των δίσκων 600 1/min 2. Ταχύτητα περιστροφής των δίσκων 535 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	13,5	17	19	20,5	22	23,5	24,5	25,5	26,5	27,5	28,5	29	30	31	31,5	32,5	33	34	34,5	36	37	39,5	42	44,5	46,5
	12,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
	14,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32	33	34	35	36	37	38	38,5	39,5	41,5	43	46	49,5	52,5	56
12	10,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
	12,0	16,5	19,5	21,5	23,5	25	26,5	28	29	30,5	31,5	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39	40	42	43,5	47	50	53,5	57
	14,0	17,5	20,5	23	25	26,5	28	29,5	31	32	33,5	34,5	35,5	37	38	39	40	41	42	43	45	47	50,5	54,5	59	64,5
15	10,0	17	20	22	24	25,5	27	28,5	29,5	31	32	33	34	35	36	37	38	39	40	41	42,5	44,5	47,5	51	55	58,5
	12,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
	14,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
16	10,0	17,5	20,5	22,5	24,5	26	27,5	29	30,5	31,5	33	34	35	36	37	38	39	40	41	42	44	45,5	49,5	53	57	61,5
	12,0	18,5	21,5	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	59,5	66,5	-
	14,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44	45,5	47	48	49,5	52	54,5	60,5	70,5	-	-
18	10,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
	12,0	19,5	22,5	25	27,5	29	31	32,5	34	35,5	37	38,5	39,5	41	42	43,5	44,5	46	47	48,5	51	53,5	59	66,5	-	-
	14,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
20	10,0	19	22	24,5	26,5	28,5	30	31,5	33	34,5	36	37	38,5	39,5	41	42	43	44,5	45,5	46,5	49	51	56	61,5	71	-
	12,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
	14,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
21	10,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
	12,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
	14,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68,5	-	-	-	-
24	10,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
	12,0	21,5	25	28	30,5	32,5	34,5	36,5	38,5	40	42	43,5	45	47	48,5	50	51,5	53,5	55	57	61	66,5	-	-	-	-
	14,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
27	10,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-
	12,0	22,5	26,5	29	31,5	34	36	38,5	40,5	42	44	46	48	49,5	51,5	53,5	55,5	57,5	60	62,5	69,5	-	-	-	-	-
	14,0	24	28	31	33,5	36	38,5	41	43	45,5	47,5	49,5	52	54	56,5	59	62	65,5	70,5	-	-	-	-	-	-	-
28	10,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
	12,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
	14,0	24,5	28	31,5	34	37	39	41,5	44	46	48,5	50,5	53	55,5	58	60,5	64	68,5	-	-	-	-	-	-	-	-
30	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	47,5	49,5	51	53	55	56,5	58,5	63,5	71	-	-	-	-
	12,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
	14,0	25	29	32	35	38	40,5	43	45,5	47,5	50	52,5	55	58	61	64,5	70	-	-	-	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59	61,5	68	-	-	-	-	-
	12,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	59,5	62,5	66,5	-	-	-	-	-	-	-	-
	14,0	25,5	29,5	33	36	39	41,5	44	47	49,5	52	54,5	57,5	60,5	64,5	70,5	-	-	-	-	-	-	-	-	-	-
33	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58,5	60,5	63,5	-	-	-	-	-	-
	12,0	24,5	28,5	31,5	34,5	37	39,5	42	44	46,5	48,5	51	53	55,5	58,5	61	64,5	69,5	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	36,5	39,5	42	45	47,5	50	53	55,5	58,5	62	66,5	-	-	-	-	-	-	-	-	-	-	-
36	10,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
	12,0	25	29	32,5	35,5	38,5	41	43,5	46	48,5	51	53,5	56	59	62,5	66,5	-	-	-	-	-	-	-	-	-	-
	14,0	26,5	31	34,5	38	41	44	47	49,5	52,5	55,5	59	63	68,5	-	-	-	-	-	-	-	-	-	-	-	-



(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90



















3.74 mm



0.99 kg/l



ZAM	  										
											
OS 10-12	1 10	76 / 82	600	TS 5-9 D 50 C 51	2 TS 5-9 D 45 B 47	25 2		2 TS 5-9 B 45 B 46	30 5		
	1 12	76 / 82	600	TS 5-9 E 50 C 52	2 TS 5-9 E 45 C 48	25 2		2 TS 5-9 D 45 B 48	30 5		
OS 10-18	1 10	77 / 84	600	TS 5-9 D 50 C 51	2 TS 5-9 D 45 B 47	25 2		2 TS 5-9 B 45 B 46	30 5		
	1 12	77 / 86	600	TS 5-9 E 50 C 52	2 TS 5-9 E 45 C 48	25 2		2 TS 5-9 D 45 B 48	30 5		
	15	77 / 86	720	TS 5-9 F 51 F 48	TS 5-9 E 42 C 49	27 3		TS 5-9 D 42 B 49	32 6		
	16	77 / 86	720	TS 5-9 F 51 F 49	TS 5-9 E 42 C 49	27 3		TS 5-9 D 42 B 49	32 6		
OS 20-28	18	76 / 82	720	TS 10-14 D 52 C 49	TS 5-9 F 46 D 50	27 3		TS 5-9 E 46 C 50	32 6		
	20	76 / 82	720	TS 10-14 E 52 D 48	TS 10-14 A 49 A 45	30 4		TS 10-14 A 48 A 44	35 7		
	21	76 / 82	720	TS 10-14 E 53 D 48	TS 10-14 A 50 A 45	30 4		TS 10-14 A 49 A 44	35 7		
	24	76 / 82	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35 5		TS 10-14 B 52 B 46	40 8		

1. Ταχύτητα περιστροφής των δίσκων 600 1/min 2. Ταχύτητα περιστροφής των δίσκων 535 1/min





(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90



3.74 mm



0.99 kg/l



ZAM												
OS 30-36	24	71 / 82	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35	5	TS 10-14 B 52 B 46	40	8		
	27	71 / 84	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35	5	TS 10-14 E 53 E 43	40	8		
	28	71 / 84	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35	5	TS 10-14 E 53 E 43	40	8		
	30	72 / 84	720	TS 4 A 44 B 28	TS 15-18 E 42 B 51	37	6	TS 15-18 D 42 A 51	42	9		
	32	73 / 84	720	TS 4 A 53 C 23	TS 15-18 F 42 C 52	37	6	TS 15-18 E 42 B 52	42	9		
	33	73 / 84	720	- - -	- - -	-	-	- - -	-	-		
	36	74 / 85	720	TS 4 A 57 D 21	TS 15-18 H 42 E 53	37	6	TS 15-18 G 42 D 53	42	9		

1. Ταχύτητα περιστροφής των δίσκων 600 1/min 2. Ταχύτητα περιστροφής των δίσκων 535 1/min



Breite		kg / ha																									
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000	
10	km / h	10,0	13,5	17	19	20,5	22	23,5	24,5	25,5	26,5	27,5	28,5	29	30	31	31,5	32,5	33	34	34,5	36	37	39,5	42	44,5	46,5
		12,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
		14,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32	33	34	35	36	37	38	38,5	39,5	41,5	43	46	49,5	52,5	56
12	km / h	10,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
		12,0	16,5	19,5	21,5	23,5	25	26,5	28	29	30,5	31,5	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39	40	42	43,5	47	50	53,5	57
		14,0	17,5	20,5	23	25	26,5	28	29,5	31	32	33,5	34,5	35,5	37	38	39	40	41	42	43	45	47	50,5	54,5	59	64,5
15	km / h	10,0	17	20	22	24	25,5	27	28,5	29,5	31	32	33	34	35	36	37	38	39	40	41	42,5	44,5	47,5	51	55	58,5
		12,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
		14,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
16	km / h	10,0	17,5	20,5	22,5	24,5	26	27,5	29	30,5	31,5	33	34	35	36	37	38	39	40	41	42	44	45,5	49,5	53	57	61,5
		12,0	18,5	21,5	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	59,5	66,5	-
		14,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44	45,5	47	48	49,5	52	54,5	60,5	70,5	-	-
18	km / h	10,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
		12,0	19,5	22,5	25	27,5	29	31	32,5	34	35,5	37	38,5	39,5	41	42	43,5	44,5	46	47	48,5	51	53,5	59	66,5	-	-
		14,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
20	km / h	10,0	19	22	24,5	26,5	28,5	30	31,5	33	34,5	36	37	38,5	39,5	41	42	43	44,5	45,5	46,5	49	51	56	61,5	71	-
		12,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
		14,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
21	km / h	10,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
		12,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
		14,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68,5	-	-	-	-
24	km / h	10,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
		12,0	21,5	25	28	30,5	32,5	34,5	36,5	38,5	40	42	43,5	45	47	48,5	50	51,5	53,5	55	57	61	66,5	-	-	-	-
		14,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
27	km / h	10,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-
		12,0	22,5	26,5	29	31,5	34	36	38,5	40,5	42	44	46	48	49,5	51,5	53,5	55,5	57,5	60	62,5	69,5	-	-	-	-	-
		14,0	24	28	31	33,5	36	38,5	41	43	45,5	47,5	49,5	52	54	56,5	59	62	65,5	70,5	-	-	-	-	-	-	-
28	km / h	10,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
		12,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
		14,0	24,5	28	31,5	34	37	39	41,5	44	46	48,5	50,5	53	55,5	58	60,5	64	68,5	-	-	-	-	-	-	-	-
30	km / h	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	47,5	49,5	51	53	55	56,5	58,5	63,5	71	-	-	-	-
		12,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
		14,0	25	29	32	35	38	40,5	43	45,5	47,5	50	52,5	55	58	61	64,5	70	-	-	-	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59	61,5	68	-	-	-	-	-
	12,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	59,5	62,5	66,5	-	-	-	-	-	-	-	-
	14,0	25,5	29,5	33	36	39	41,5	44	47	49,5	52	54,5	57,5	60,5	64,5	70,5	-	-	-	-	-	-	-	-	-	-
33	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58,5	60,5	63,5	-	-	-	-	-	-
	12,0	24,5	28,5	31,5	34,5	37	39,5	42	44	46,5	48,5	51	53	55,5	58,5	61	64,5	69,5	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	36,5	39,5	42	45	47,5	50	53	55,5	58,5	62	66,5	-	-	-	-	-	-	-	-	-	-	-
36	10,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
	12,0	25	29	32,5	35,5	38,5	41	43,5	46	48,5	51	53,5	56	59	62,5	66,5	-	-	-	-	-	-	-	-	-	-
	14,0	26,5	31	34,5	38	41	44	47	49,5	52,5	55,5	59	63	68,5	-	-	-	-	-	-	-	-	-	-	-	-



(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90














3.74 mm



0.99 kg/l



ZAM	  			 			  			  		
	1	26 / 42	600	TS 5-9 D 50 C 51	2 TS 5-9 D 45 B 47	25 2	2 TS 5-9 B 45 B 46	30 5				
OM 10-12	10	26 / 42	600	TS 5-9 D 50 C 51	2 TS 5-9 D 45 B 47	25 2	2 TS 5-9 B 45 B 46	30 5				
	12	26 / 42	600	TS 5-9 E 50 C 52	2 TS 5-9 E 45 C 48	25 2	2 TS 5-9 D 45 B 48	30 5				
OM 10-16	10	27 / 44	600	TS 5-9 D 50 C 51	2 TS 5-9 D 45 B 47	25 2	2 TS 5-9 B 45 B 46	30 5				
	12	27 / 46	600	TS 5-9 E 50 C 52	2 TS 5-9 E 45 C 48	25 2	2 TS 5-9 D 45 B 48	30 5				
	15	27 / 46	720	TS 5-9 F 51 F 48	TS 5-9 E 42 C 49	27 3	TS 5-9 D 42 B 49	32 6				
	16	27 / 46	720	TS 5-9 F 51 F 49	TS 5-9 E 42 C 49	27 3	TS 5-9 D 42 B 49	32 6				
OM 18-24	18	26 / 42	720	TS 10-14 D 52 C 49	TS 5-9 F 46 D 50	27 3	TS 5-9 E 46 C 50	32 6				
	20	26 / 42	720	TS 10-14 E 52 D 48	TS 10-14 A 49 A 45	30 4	TS 10-14 A 48 A 44	35 7				
	21	26 / 42	720	TS 10-14 E 53 D 48	TS 10-14 A 50 A 45	30 4	TS 10-14 A 49 A 44	35 7				
	24	26 / 42	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35 5	TS 10-14 B 52 B 46	40 8				

1. Ταχύτητα περιστροφής των δίσκων 600 1/min 2. Ταχύτητα περιστροφής των δίσκων 535 1/min





(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90



3.74 mm



0.99 kg/l



ZAM										
OM 24-36	24	21 / 42	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35 5		TS 10-14 B 52 B 46	40 8	
	27	21 / 44	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35 5		TS 10-14 E 53 E 43	40 8	
	28	21 / 44	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35 5		TS 10-14 E 53 E 43	40 8	
	30	22 / 44	720	TS 4 A 44 B 28	TS 15-18 E 42 B 51	37 6		TS 15-18 D 42 A 51	42 9	
	32	23 / 44	720	TS 4 A 53 C 23	TS 15-18 F 42 C 52	37 6		TS 15-18 E 42 B 52	42 9	
	33	23 / 44	720	- - -	- - -	- -		- - -	- -	
	36	24 / 45	720	TS 4 A 57 D 21	TS 15-18 H 42 E 53	37 6		TS 15-18 G 42 D 53	42 9	

1. Ταχύτητα περιστροφής των δίσκων 600 1/min 2. Ταχύτητα περιστροφής των δίσκων 535 1/min



Breite		kg / ha																									
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000	
10	km / h	10,0	13,5	17	19	20,5	22	23,5	24,5	25,5	26,5	27,5	28,5	29	30	31	31,5	32,5	33	34	34,5	36	37	39,5	42	44,5	46,5
		12,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
		14,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32	33	34	35	36	37	38	38,5	39,5	41,5	43	46	49,5	52,5	56
12	km / h	10,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
		12,0	16,5	19,5	21,5	23,5	25	26,5	28	29	30,5	31,5	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39	40	42	43,5	47	50	53,5	57
		14,0	17,5	20,5	23	25	26,5	28	29,5	31	32	33,5	34,5	35,5	37	38	39	40	41	42	43	45	47	50,5	54,5	59	64,5
15	km / h	10,0	17	20	22	24	25,5	27	28,5	29,5	31	32	33	34	35	36	37	38	39	40	41	42,5	44,5	47,5	51	55	58,5
		12,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
		14,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
16	km / h	10,0	17,5	20,5	22,5	24,5	26	27,5	29	30,5	31,5	33	34	35	36	37	38	39	40	41	42	44	45,5	49,5	53	57	61,5
		12,0	18,5	21,5	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	59,5	66,5	-
		14,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44	45,5	47	48	49,5	52	54,5	60,5	70,5	-	-
18	km / h	10,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
		12,0	19,5	22,5	25	27,5	29	31	32,5	34	35,5	37	38,5	39,5	41	42	43,5	44,5	46	47	48,5	51	53,5	59	66,5	-	-
		14,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
20	km / h	10,0	19	22	24,5	26,5	28,5	30	31,5	33	34,5	36	37	38,5	39,5	41	42	43	44,5	45,5	46,5	49	51	56	61,5	71	-
		12,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
		14,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
21	km / h	10,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
		12,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
		14,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68,5	-	-	-	-
24	km / h	10,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
		12,0	21,5	25	28	30,5	32,5	34,5	36,5	38,5	40	42	43,5	45	47	48,5	50	51,5	53,5	55	57	61	66,5	-	-	-	-
		14,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
27	km / h	10,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-
		12,0	22,5	26,5	29	31,5	34	36	38,5	40,5	42	44	46	48	49,5	51,5	53,5	55,5	57,5	60	62,5	69,5	-	-	-	-	-
		14,0	24	28	31	33,5	36	38,5	41	43	45,5	47,5	49,5	52	54	56,5	59	62	65,5	70,5	-	-	-	-	-	-	-
28	km / h	10,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
		12,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
		14,0	24,5	28	31,5	34	37	39	41,5	44	46	48,5	50,5	53	55,5	58	60,5	64	68,5	-	-	-	-	-	-	-	-
30	km / h	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	47,5	49,5	51	53	55	56,5	58,5	63,5	71	-	-	-	-
		12,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
		14,0	25	29	32	35	38	40,5	43	45,5	47,5	50	52,5	55	58	61	64,5	70	-	-	-	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59	61,5	68	-	-	-	-	-
	12,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	59,5	62,5	66,5	-	-	-	-	-	-	-	-
	14,0	25,5	29,5	33	36	39	41,5	44	47	49,5	52	54,5	57,5	60,5	64,5	70,5	-	-	-	-	-	-	-	-	-	-
33	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58,5	60,5	63,5	-	-	-	-	-	-
	12,0	24,5	28,5	31,5	34,5	37	39,5	42	44	46,5	48,5	51	53	55,5	58,5	61	64,5	69,5	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	36,5	39,5	42	45	47,5	50	53	55,5	58,5	62	66,5	-	-	-	-	-	-	-	-	-	-	-
36	10,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
	12,0	25	29	32,5	35,5	38,5	41	43,5	46	48,5	51	53,5	56	59	62,5	66,5	-	-	-	-	-	-	-	-	-	-
	14,0	26,5	31	34,5	38	41	44	47	49,5	52,5	55,5	59	63	68,5	-	-	-	-	-	-	-	-	-	-	-	-




(583023214)














NovaTec® NPK 14-22-7 gran.

No. II



0.90 3.74 mm 0.99 kg/l



ZAM											
											
OM 10-12	1 10	26 / 42	600	A12	A15	25	2	2 A15	30	5	
	1 12	26 / 42	600	A10	A13	25	2	1 A13	30	5	
OM 10-16	1 10	27 / 44	600	A12	A15	25	2	2 A15	30	5	
	1 12	27 / 46	600	A10	A13	25	2	1 A13	30	5	
	15	27 / 46	720	A8	A12	27	3	A15	32	6	
	16	27 / 46	720	A7	A10	27	3	A14	32	6	
OM 18-24	18	26 / 42	720	A6	A9	27	3	A13	32	6	
	20	26 / 42	720	A6	A12	30	4	A14	35	7	
	21	26 / 42	720	A4	A11	30	4	A14	35	7	
	24	26 / 42	720	B2	B11	35	5	B12	40	8	
OM 24-36	24	21 / 42	720	B2	B11	35	5	B12	40	8	
	27	21 / 44	720	B1	B10	35	5	B12	40	8	
	28	21 / 44	720	B0	B9	35	5	B12	40	8	
	30	22 / 44	720	B0	B8	37	6	B11	42	9	
	32	23 / 44	720	B0	B7	37	6	B10	42	9	
	33	23 / 44	720	B0	B6	37	6	B9	42	9	
	36	24 / 45	720	B0	B5	37	6	B8	42	9	

1. Ταχύτητα περιστροφής των δίσκων 600 1/min 2. Ταχύτητα περιστροφής των δίσκων 535 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	13,5	17	19	20,5	22	23,5	24,5	25,5	26,5	27,5	28,5	29	30	31	31,5	32,5	33	34	34,5	36	37	39,5	42	44,5	46,5
	12,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
	14,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32	33	34	35	36	37	38	38,5	39,5	41,5	43	46	49,5	52,5	56
12	10,0	15	18	20,5	22	23,5	25	26	27,5	28,5	29,5	30,5	31,5	32	33	34	34,5	35,5	36,5	37	38,5	40	43	45,5	48,5	51
	12,0	16,5	19,5	21,5	23,5	25	26,5	28	29	30,5	31,5	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39	40	42	43,5	47	50	53,5	57
	14,0	17,5	20,5	23	25	26,5	28	29,5	31	32	33,5	34,5	35,5	37	38	39	40	41	42	43	45	47	50,5	54,5	59	64,5
15	10,0	17	20	22	24	25,5	27	28,5	29,5	31	32	33	34	35	36	37	38	39	40	41	42,5	44,5	47,5	51	55	58,5
	12,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
	14,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
16	10,0	17,5	20,5	22,5	24,5	26	27,5	29	30,5	31,5	33	34	35	36	37	38	39	40	41	42	44	45,5	49,5	53	57	61,5
	12,0	18,5	21,5	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	59,5	66,5	-
	14,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44	45,5	47	48	49,5	52	54,5	60,5	70,5	-	-
18	10,0	18	21	23,5	25,5	27,5	29	30,5	31,5	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71
	12,0	19,5	22,5	25	27,5	29	31	32,5	34	35,5	37	38,5	39,5	41	42	43,5	44,5	46	47	48,5	51	53,5	59	66,5	-	-
	14,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
20	10,0	19	22	24,5	26,5	28,5	30	31,5	33	34,5	36	37	38,5	39,5	41	42	43	44,5	45,5	46,5	49	51	56	61,5	71	-
	12,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
	14,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
21	10,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	47,5	50	52,5	58	64,5	-	-
	12,0	20,5	24	26,5	29	31	33	34,5	36	38	39,5	41	42,5	44	45,5	47	48	49,5	51	52,5	55,5	59	68,5	-	-	-
	14,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68,5	-	-	-	-
24	10,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
	12,0	21,5	25	28	30,5	32,5	34,5	36,5	38,5	40	42	43,5	45	47	48,5	50	51,5	53,5	55	57	61	66,5	-	-	-	-
	14,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
27	10,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-
	12,0	22,5	26,5	29	31,5	34	36	38,5	40,5	42	44	46	48	49,5	51,5	53,5	55,5	57,5	60	62,5	69,5	-	-	-	-	-
	14,0	24	28	31	33,5	36	38,5	41	43	45,5	47,5	49,5	52	54	56,5	59	62	65,5	70,5	-	-	-	-	-	-	-
28	10,0	21,5	25	27,5	30	32	34	36	38	39,5	41,5	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
	12,0	23	26,5	29,5	32	34,5	37	39	41	43	45	47	48,5	50,5	52,5	54,5	57	59	61,5	64,5	-	-	-	-	-	-
	14,0	24,5	28	31,5	34	37	39	41,5	44	46	48,5	50,5	53	55,5	58	60,5	64	68,5	-	-	-	-	-	-	-	-
30	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	47,5	49,5	51	53	55	56,5	58,5	63,5	71	-	-	-	-
	12,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
	14,0	25	29	32	35	38	40,5	43	45,5	47,5	50	52,5	55	58	61	64,5	70	-	-	-	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59	61,5	68	-	-	-	-	-
	12,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	59,5	62,5	66,5	-	-	-	-	-	-	-	-
	14,0	25,5	29,5	33	36	39	41,5	44	47	49,5	52	54,5	57,5	60,5	64,5	70,5	-	-	-	-	-	-	-	-	-	-
33	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58,5	60,5	63,5	-	-	-	-	-	-
	12,0	24,5	28,5	31,5	34,5	37	39,5	42	44	46,5	48,5	51	53	55,5	58,5	61	64,5	69,5	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	36,5	39,5	42	45	47,5	50	53	55,5	58,5	62	66,5	-	-	-	-	-	-	-	-	-	-	-
36	10,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	65,5	71	-	-	-	-	-	-
	12,0	25	29	32,5	35,5	38,5	41	43,5	46	48,5	51	53,5	56	59	62,5	66,5	-	-	-	-	-	-	-	-	-	-
	14,0	26,5	31	34,5	38	41	44	47	49,5	52,5	55,5	59	63	68,5	-	-	-	-	-	-	-	-	-	-	-	-



(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90















3.74 mm



0.99 kg/l



ZAM									
									
OM 10-12	1 10	26 / 42	600	300	2 250	2 25	3 180	3 30	
	1 12	26 / 42	600	350	2 250	2 25	3 200	3 30	
OM 10-16	1 10	27 / 44	600	300	2 250	2 25	3 180	3 30	
	1 12	27 / 46	600	350	2 250	2 25	3 200	3 30	
	15	27 / 46	720	400	300	27	250	32	
	16	27 / 46	720	450	350	27	275	32	
OM 18-24	18	26 / 42	720	500	400	27	350	32	
	20	26 / 42	720	500	350	30	275	35	
	21	26 / 42	720	500	350	30	300	35	
	24	26 / 42	720	500	400	35	350	40	
OM 24-36	24	21 / 42	720	500	400	35	350	40	
	27	21 / 44	720	600	450	35	400	40	
	28	21 / 44	720	650	500	35	425	40	
	30	22 / 44	720	550	400	37	350	42	
	32	23 / 44	720	600	450	37	375	42	
	33	23 / 44	720	630	480	37	400	42	
	36	24 / 45	720	650	500	37	450	42	

1. Ταχύτητα περιστροφής των δίσκων 600 1/min
2. Μειώστε την ταχύτητα περιστροφής των δίσκων προς τη μεριά του χωραφιού στις 550 1/min,
3. Μειώστε την ταχύτητα περιστροφής των δίσκων προς τη μεριά του χωραφιού στις 500 1/min,





(583023214)

NovaTec® NPK 14-22-7 gran.

No. II




0.90















3.74 mm



0.99 kg/l



ZAM									
									
OS 10-12	1 10	76 / 82	600	400	2 250	2 25	3 200	3 30	
	1 12	76 / 82	600	400	2 300	2 25	3 250	3 30	
OS 10-18	1 10	77 / 84	600	400	2 250	2 25	3 200	3 30	
	1 12	77 / 86	600	400	2 300	2 25	3 250	3 30	
	15	77 / 86	720	400	300	27	250	32	
	16	77 / 86	720	450	350	27	275	32	
OS 20-28	18	76 / 82	720	500	400	27	350	32	
	20	76 / 82	720	500	350	30	275	35	
	21	76 / 82	720	500	350	30	300	35	
	24	76 / 82	720	500	400	35	350	40	
OS 30-36	24	71 / 82	720	500	400	35	350	40	
	27	71 / 84	720	600	450	35	400	40	
	28	71 / 84	720	650	500	35	425	40	
	30	72 / 84	720	550	400	37	350	42	
	32	73 / 84	720	600	450	37	375	42	
	33	73 / 84	720	-	-	-	-	-	
	36	74 / 85	720	650	500	37	450	42	

1. Ταχύτητα περιστροφής των δίσκων 600 1/min
2. Μειώστε την ταχύτητα περιστροφής των δίσκων προς τη μεριά του χωραφιού στις 550 1/min,
3. Μειώστε την ταχύτητα περιστροφής των δίσκων προς τη μεριά του χωραφιού στις 500 1/min,

