



(583023348)

HAIFA NK 20-24 gran. blend

No.: B




1.10



















3.10 mm



1.25 kg/l



ZAM										
										
OM 10-12	10	26 / 40	600	A12	A15	25	2	₁ A15	30	5
	12	26 / 40	600	A10	A13	25	2	₂ A13	30	5
OM 10-16	10	24 / 40	600	A12	A15	25	2	₁ A15	30	5
	12	24 / 40	600	A10	A13	25	2	₂ A13	30	5
	15	24 / 48	720	A8	A12	27	3	A15	32	6
	16	24 / 48	720	A7	A10	27	3	A14	32	6
OM 18-24	18	19 / 40	720	A6	A9	27	3	A13	32	6
	20	19 / 40	720	A6	A12	30	4	A14	35	7
	21	19 / 40	720	A4	A11	30	4	A14	35	7
	24	20 / 45	870	B2	B11	35	5	B12	40	8
OM 24-36	24	11 / 40	720	B2	B11	35	5	B12	40	8
	27	15 / 41	870	B1	B10	35	5	B12	40	8
	28	15 / 41	870	B0	B9	35	5	B12	40	8
	30	17 / 41	870	B0	B8	37	6	B11	42	9
	32	17 / 42	870	B0	B7	37	6	B10	42	9
	33	17 / 42	870	B0	B6	37	6	B9	42	9
	36	19 / 43	870	B0	B5	37	6	B8	42	9

1. Ταχύτητα περιστροφής των δίσκων 535 1/min 2. Ταχύτητα περιστροφής των δίσκων 600 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	11,5	15,5	17,5	19	20,5	21,5	22,5	23,5	24,5	25,5	26,5	27	28	28,5	29,5	30	30,5	31	32	33	34	36,5	38,5	40,5	42,5
	12,0	13,5	16,5	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34	35,5	37	39	41,5	44	46
	14,0	15	18	20	21,5	23	24,5	25,5	27	28	29	30	30,5	31,5	32,5	33,5	34	35	35,5	36,5	38	39	42	44,5	47	50
12	10,0	13,5	16,5	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34	35,5	37	39	41,5	44	46
	12,0	15	18	20	22	23,5	24,5	26	27	28	29	30	31	32	33	33,5	34,5	35	36	37	38,5	39,5	42,5	45	48	50,5
	14,0	16	19	21,5	23	24,5	26	27,5	28,5	30	31	32	33	34	35	35,5	36,5	37,5	38,5	39	41	42,5	45,5	49	52	55,5
15	10,0	15,5	18,5	20,5	22	23,5	25	26,5	27,5	28,5	29,5	30,5	31,5	32,5	33,5	34	35	36	36,5	37,5	39	40,5	43,5	46	49	51,5
	12,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	37	37,5	38,5	39,5	40,5	42	44	47	50,5	54	58
	14,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38	39	40,5	41,5	42,5	43,5	45,5	47	51	55,5	60	66
16	10,0	16	19	21	22,5	24,5	25,5	27	28	29,5	30,5	31,5	32,5	33,5	34	35	36	37	37,5	38,5	40	41,5	44,5	47,5	50,5	53,5
	12,0	17	20	22,5	24,5	26	27,5	29	30	31,5	32,5	33,5	34,5	35,5	37	38	38,5	39,5	40,5	41,5	43,5	45	49	52,5	56,5	60,5
	14,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	35,5	37	38	39	40,5	41,5	42,5	43,5	44,5	46,5	49	53	57,5	63	-
18	10,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	37	37,5	38,5	39,5	40,5	42	44	47	50,5	54	58
	12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35	36,5	37,5	38,5	39,5	41	42	43	44	46	48	52	56,5	61	68
	14,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41,5	42,5	43,5	45	46	47	49,5	52	57	63	-	-
20	10,0	17,5	20,5	22,5	24,5	26,5	28	29,5	30,5	32	33	34	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44	46	50	53,5	58	62,5
	12,0	19	22	24,5	26,5	28	30	31,5	33	34	35,5	37	38	39	40,5	41,5	42,5	44	45	46	48,5	50,5	55,5	60,5	68	-
	14,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39	40,5	42	43,5	44,5	46	47	48,5	50	52,5	55,5	61,5	-	-	-
21	10,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38	39	40,5	41,5	42,5	43,5	45,5	47	51	55,5	60	66
	12,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41,5	42,5	43,5	45	46	47	49,5	52	57	63	-	-
	14,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
24	10,0	19	22	24,5	26,5	28	30	31,5	33	34	35,5	37	38	39	40,5	41,5	42,5	44	45	46	48,5	50,5	55,5	60,5	68	-
	12,0	20	23,5	26	28	30	32	33,5	35	37	38,5	39,5	41	42,5	44	45	46,5	48	49	50,5	53,5	56,5	63	-	-	-
	14,0	21,5	24,5	27,5	30	32	34	35,5	37,5	39	41	42,5	44	45,5	47	49	50,5	52	53,5	55,5	59	63	-	-	-	-
27	10,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37	38,5	40	41,5	42,5	44	45	46,5	47,5	49	51,5	54	60	68	-	-
	12,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	42	43,5	45	46,5	48	49,5	51	52,5	54	57,5	61	-	-	-	-
	14,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41,5	43	45	46,5	48,5	50	52	54	55,5	57,5	60	65	-	-	-	-	-
28	10,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39	40,5	42	43,5	44,5	46	47	48,5	50	52,5	55,5	61,5	-	-	-
	12,0	21,5	24,5	27,5	30	32	34	35,5	37,5	39	41	42,5	44	45,5	47	49	50,5	52	53,5	55,5	59	63	-	-	-	-
	14,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59	61,5	68	-	-	-	-	-
30	10,0	20,5	23,5	26,5	28,5	30,5	32,5	34	36	37,5	39	40,5	42	43,5	44,5	46	47,5	49	50,5	51,5	54,5	58	66	-	-	-
	12,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68	-	-	-	-
	14,0	23	27	30	32,5	35	37	39	41,5	43,5	45,5	47	49	51	53	55,5	57,5	60	62,5	66	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	44,5	46	47,5	49	50,5	52	53,5	57	60,5	-	-	-	-
	12,0	22,5	26	29	31,5	33,5	35,5	38	39,5	41,5	43,5	45	47	49	50,5	52,5	54,5	56,5	58,5	60,5	66	-	-	-	-	-
	14,0	23,5	27,5	30,5	33,5	35,5	38	40,5	42,5	44,5	46,5	49	51	53	55,5	57,5	60	63	67	-	-	-	-	-	-	-
33	10,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37	39	40,5	42	43,5	45,5	47	48,5	50	51,5	53	54,5	58	62	-	-	-	-
	12,0	22,5	26	29	31,5	34	36	38,5	40	42	44	46	47,5	49,5	51,5	53,5	55,5	57,5	59,5	62	69	-	-	-	-	-
	14,0	24	27,5	31	33,5	36	38,5	41	43	45,5	47,5	49,5	52	54	56,5	59	61,5	65	70,5	-	-	-	-	-	-	-
36	10,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68	-	-	-	-
	12,0	23,5	27	30	33	35	37,5	39,5	42	44	46	48	50	52	54	56,5	58,5	61	64	68	-	-	-	-	-	-
	14,0	24,5	28,5	32	35	37,5	40	42,5	45	47	49,5	52	54,5	57	60	63	67,5	-	-	-	-	-	-	-	-	-



(583023348)

HAIFA NK 20-24 gran. blend

No.: B




1.10













3.10 mm



1.25 kg/l



ZAM												
												
OM 10-12	10	26 / 40	600	TS 5-9 D 50 C 51	¹ TS 5-9 D 45 B 47	25		2	¹ TS 5-9 B 45 B 46	30		5
	12	26 / 40	600	TS 5-9 E 50 C 52	¹ TS 5-9 E 45 C 48	25		2	¹ TS 5-9 D 45 B 48	30		5
OM 10-16	10	24 / 40	600	TS 5-9 D 50 C 51	¹ TS 5-9 D 45 B 47	25		2	¹ TS 5-9 B 45 B 46	30		5
	12	24 / 40	600	TS 5-9 E 50 C 52	¹ TS 5-9 E 45 C 48	25		2	¹ TS 5-9 D 45 B 48	30		5
	15	24 / 48	720	TS 5-9 F 51 F 48	TS 5-9 E 42 C 49	27		3	TS 5-9 D 42 B 49	32		6
	16	24 / 48	720	TS 5-9 F 51 F 49	TS 5-9 E 42 C 49	27		3	TS 5-9 D 42 B 49	32		6
OM 18-24	18	19 / 40	720	TS 10-14 D 52 C 49	TS 5-9 F 46 D 50	27		3	TS 5-9 E 46 C 50	32		6
	20	19 / 40	720	TS 10-14 E 52 D 48	TS 10-14 A 49 A 45	30		4	TS 10-14 A 48 A 44	35		7
	21	19 / 40	720	TS 10-14 E 53 D 48	TS 10-14 A 50 A 45	30		4	TS 10-14 A 49 A 44	35		7
	24	20 / 45	870	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35		5	TS 10-14 B 52 B 46	40		8

1. Ταχύτητα περιστροφής των δίσκων 535 1/min





(583023348)

HAIFA NK 20-24 gran. blend

No.: B




1.10



3.10 mm



1.25 kg/l



ZAM												
OM 24-36	24	11 / 40	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35		5	TS 10-14 B 52 B 46	40		8
	27	15 / 41	870	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35		5	TS 10-14 E 53 E 43	40		8
	28	15 / 41	870	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35		5	TS 10-14 E 53 E 43	40		8
	30	17 / 41	870	TS 4 A 44 B 28	TS 15-18 E 42 B 51	37		6	TS 15-18 D 42 A 51	42		9
	32	17 / 42	870	TS 4 A 53 C 23	TS 15-18 F 42 C 52	37		6	TS 15-18 E 42 B 52	42		9
	33	17 / 42	870	- - -	- - -	-		-	- - -	-		-
	36	19 / 43	870	TS 4 A 57 D 21	TS 15-18 H 42 E 53	37		6	TS 15-18 G 42 D 53	42		9

1. Ταχύτητα περιστροφής των δίσκων 535 1/min



Breite		kg / ha																									
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000	
10	km / h	10,0	11,5	15,5	17,5	19	20,5	21,5	22,5	23,5	24,5	25,5	26,5	27	28	28,5	29,5	30	30,5	31	32	33	34	36,5	38,5	40,5	42,5
		12,0	13,5	16,5	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34	35,5	37	39	41,5	44	46
		14,0	15	18	20	21,5	23	24,5	25,5	27	28	29	30	30,5	31,5	32,5	33,5	34	35	35,5	36,5	38	39	42	44,5	47	50
12	km / h	10,0	13,5	16,5	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34	35,5	37	39	41,5	44	46
		12,0	15	18	20	22	23,5	24,5	26	27	28	29	30	31	32	33	33,5	34,5	35	36	37	38,5	39,5	42,5	45	48	50,5
		14,0	16	19	21,5	23	24,5	26	27,5	28,5	30	31	32	33	34	35	35,5	36,5	37,5	38,5	39	41	42,5	45,5	49	52	55,5
15	km / h	10,0	15,5	18,5	20,5	22	23,5	25	26,5	27,5	28,5	29,5	30,5	31,5	32,5	33,5	34	35	36	36,5	37,5	39	40,5	43,5	46	49	51,5
		12,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	37	37,5	38,5	39,5	40,5	42	44	47	50,5	54	58
		14,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38	39	40,5	41,5	42,5	43,5	45,5	47	51	55,5	60	66
16	km / h	10,0	16	19	21	22,5	24,5	25,5	27	28	29,5	30,5	31,5	32,5	33,5	34	35	36	37	37,5	38,5	40	41,5	44,5	47,5	50,5	53,5
		12,0	17	20	22,5	24,5	26	27,5	29	30	31,5	32,5	33,5	34,5	35,5	37	38	38,5	39,5	40,5	41,5	43,5	45	49	52,5	56,5	60,5
		14,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	35,5	37	38	39	40,5	41,5	42,5	43,5	44,5	46,5	49	53	57,5	63	-
18	km / h	10,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	37	37,5	38,5	39,5	40,5	42	44	47	50,5	54	58
		12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35	36,5	37,5	38,5	39,5	41	42	43	44	46	48	52	56,5	61	68
		14,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41,5	42,5	43,5	45	46	47	49,5	52	57	63	-	-
20	km / h	10,0	17,5	20,5	22,5	24,5	26,5	28	29,5	30,5	32	33	34	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44	46	50	53,5	58	62,5
		12,0	19	22	24,5	26,5	28	30	31,5	33	34	35,5	37	38	39	40,5	41,5	42,5	44	45	46	48,5	50,5	55,5	60,5	68	-
		14,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39	40,5	42	43,5	44,5	46	47	48,5	50	52,5	55,5	61,5	-	-	-
21	km / h	10,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38	39	40,5	41,5	42,5	43,5	45,5	47	51	55,5	60	66
		12,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41,5	42,5	43,5	45	46	47	49,5	52	57	63	-	-
		14,0	20,5	23,5	26	28,5	30,5	32	34	35,5	37	38,5	40	41,5	43	44,5	45,5	47	48,5	50	51	54	57	64,5	-	-	-
24	km / h	10,0	19	22	24,5	26,5	28	30	31,5	33	34	35,5	37	38	39	40,5	41,5	42,5	44	45	46	48,5	50,5	55,5	60,5	68	-
		12,0	20	23,5	26	28	30	32	33,5	35	37	38,5	39,5	41	42,5	44	45	46,5	48	49	50,5	53,5	56,5	63	-	-	-
		14,0	21,5	24,5	27,5	30	32	34	35,5	37,5	39	41	42,5	44	45,5	47	49	50,5	52	53,5	55,5	59	63	-	-	-	-
27	km / h	10,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37	38,5	40	41,5	42,5	44	45	46,5	47,5	49	51,5	54	60	68	-	-
		12,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	42	43,5	45	46,5	48	49,5	51	52,5	54	57,5	61	-	-	-	-
		14,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41,5	43	45	46,5	48,5	50	52	54	55,5	57,5	60	65	-	-	-	-	-
28	km / h	10,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39	40,5	42	43,5	44,5	46	47	48,5	50	52,5	55,5	61,5	-	-	-
		12,0	21,5	24,5	27,5	30	32	34	35,5	37,5	39	41	42,5	44	45,5	47	49	50,5	52	53,5	55,5	59	63	-	-	-	-
		14,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59	61,5	68	-	-	-	-	-
30	km / h	10,0	20,5	23,5	26,5	28,5	30,5	32,5	34	36	37,5	39	40,5	42	43,5	44,5	46	47,5	49	50,5	51,5	54,5	58	66	-	-	-
		12,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68	-	-	-	-
		14,0	23	27	30	32,5	35	37	39	41,5	43,5	45,5	47	49	51	53	55,5	57,5	60	62,5	66	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	44,5	46	47,5	49	50,5	52	53,5	57	60,5	-	-	-	-
	12,0	22,5	26	29	31,5	33,5	35,5	38	39,5	41,5	43,5	45	47	49	50,5	52,5	54,5	56,5	58,5	60,5	66	-	-	-	-	-
	14,0	23,5	27,5	30,5	33,5	35,5	38	40,5	42,5	44,5	46,5	49	51	53	55,5	57,5	60	63	67	-	-	-	-	-	-	-
33	10,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37	39	40,5	42	43,5	45,5	47	48,5	50	51,5	53	54,5	58	62	-	-	-	-
	12,0	22,5	26	29	31,5	34	36	38,5	40	42	44	46	47,5	49,5	51,5	53,5	55,5	57,5	59,5	62	69	-	-	-	-	-
	14,0	24	27,5	31	33,5	36	38,5	41	43	45,5	47,5	49,5	52	54	56,5	59	61,5	65	70,5	-	-	-	-	-	-	-
36	10,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	62	68	-	-	-	-
	12,0	23,5	27	30	33	35	37,5	39,5	42	44	46	48	50	52	54	56,5	58,5	61	64	68	-	-	-	-	-	-
	14,0	24,5	28,5	32	35	37,5	40	42,5	45	47	49,5	52	54,5	57	60	63	67,5	-	-	-	-	-	-	-	-	-



(583023348)

HAIFA NK 20-24 gran. blend

No.: B




1.10

















3.10 mm



1.25 kg/l



ZAM								
								
OM 10-12	10	26 / 40	600	300	₁ 250	₁ 25	₂ 180	₂ 30
	12	26 / 40	600	350	₁ 250	₁ 25	₂ 200	₂ 30
OM 10-16	10	24 / 40	600	300	₁ 250	₁ 25	₂ 180	₂ 30
	12	24 / 40	600	350	₁ 250	₁ 25	₂ 200	₂ 30
	15	24 / 48	720	400	300	27	250	32
	16	24 / 48	720	450	350	27	275	32
OM 18-24	18	19 / 40	720	500	400	27	350	32
	20	19 / 40	720	500	350	30	275	35
	21	19 / 40	720	500	350	30	300	35
	24	20 / 45	870	500	400	35	350	40
OM 24-36	24	11 / 40	720	500	400	35	350	40
	27	15 / 41	870	600	450	35	400	40
	28	15 / 41	870	650	500	35	425	40
	30	17 / 41	870	550	400	37	350	42
	32	17 / 42	870	600	450	37	375	42
	33	17 / 42	870	630	480	37	400	42
	36	19 / 43	870	650	500	37	450	42

1. Μειώστε την ταχύτητα περιστροφής των δίσκων προς τη μεριά του χωραφιού στις 550 1/min,
2. Μειώστε την ταχύτητα περιστροφής των δίσκων προς τη μεριά του χωραφιού στις 500 1/min,

