



(83010428)

YaraBela EXTRAN 33,5%N gran (SLU PA107G)




0.92



3.76 mm 0.98 kg/l



0.98 kg/l



ZAM								
								
OM 10-12	10	25 / 45	720	A12	A10	2	A14	5
	12	25 / 45	720	A10	A13	2	2 A13	5
OM 10-16	10	20 / 50	720	A12	A15	2	1 A15	5
	12	20 / 50	720	A10	A13	2	2 A13	5
	15	24 / 50	720	A8	A12	3	A15	6
	16	24 / 50	720	A7	-	3	-	6
OM 18-24	18	19 / 46	720	A8	A13	3	A15	6
	20	19 / 46	720	A6	A12	4	A14	7
	21	19 / 46	720	A4	A11	4	A14	7
	24	22 / 49	720	B2	B10	5	B12	8
OM 24-36	24	16 / 45	720	B2	B11	5	B12	8
	27	16 / 45	720	B1	B10	5	B12	8
	28	16 / 45	720	B0	B9	5	B12	8
	30	18 / 45	720	B0	B8	6	B11	9
	32	19 / 45	720	B0	B7	6	B10	9
	33	19 / 45	720	B0	B6	6	B9	9
	36	19 / 47	720	B0	B5	6	B8	9

1. $\hat{a}\hat{a}^\dagger \pm \hat{b}\hat{b}^\dagger, \hat{a}^\dagger \cdot \hat{a}, \hat{b}^\dagger \cdot \hat{b} \in \hat{\mu}\hat{\nu} \hat{f} \hat{f}^\dagger \hat{g} \hat{g}^\dagger \otimes \hat{I}, \hat{I}, \hat{I} \otimes \hat{I} \frac{1}{2} \hat{I} \hat{I}^\dagger \hat{f} \hat{f}^\dagger \otimes \hat{I} \frac{1}{2} 535 \text{ 1/min}$ 2. $\hat{a}\hat{a}^\dagger \pm \hat{b}\hat{b}^\dagger, \hat{a}^\dagger \cdot \hat{a}, \hat{b}^\dagger \cdot \hat{b} \in \hat{\mu}\hat{\nu} \hat{f} \hat{f}^\dagger \hat{g} \hat{g}^\dagger \otimes \hat{I}, \hat{I}, \hat{I} \otimes \hat{I} \frac{1}{2} \hat{I} \hat{I}^\dagger \hat{f} \hat{f}^\dagger \otimes \hat{I} \frac{1}{2} 600 \text{ 1/min}$

kg / ha Breite			50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	590	610	620	630	640	650
10	km / h	10,0	13,5	16,5	19	20,5	22	23	24,5	25,5	26,5	27	28	29	30	30,5	31,5	32	33	33,5	34	36,5	37	37	37,5	37,5	38
		12,0	15	18	20	22	23,5	24,5	26	27	28	29	30	31	32	33	33,5	34,5	35	36	36,5	39,5	40	40	40,5	41	41
		14,0	16	19	21,5	23	24,5	26	27,5	28,5	30	31	32	33	34	35	35,5	36,5	37,5	38,5	39	42	43	43	43,5	43,5	44
12	km / h	10,0	15	18	20	22	23,5	24,5	26	27	28	29	30	31	32	33	33,5	34,5	35	36	36,5	39,5	40	40	40,5	41	41
		12,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32,5	33,5	34,5	35	36	37	38	39	39,5	42,5	43,5	43,5	44	44,5	44,5
		14,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	46	46,5	47	47,5	48	48
15	km / h	10,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	36,5	37,5	38,5	39,5	40,5	43,5	44	44,5	45	45	45,5
		12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35	36,5	37,5	38,5	39,5	40,5	42	43	44	47,5	48,5	48,5	49	49,5	50
		14,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41,5	42,5	43,5	45	46	47	51,5	52,5	53	53,5	54	54,5
16	km / h	10,0	17	20	22,5	24,5	26	27,5	29	30	31,5	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	45	45,5	46	46,5	46,5	47
		12,0	18,5	21,5	24	26	27,5	29,5	31	32,5	33,5	35	36	37,5	38,5	39,5	41	42	43	44	45	49	50	50,5	51	51	51,5
		14,0	19,5	23	25,5	27,5	29,5	31	32,5	34,5	35,5	37	38,5	40	41	42,5	43,5	45	46,5	47,5	49	53,5	54,5	55	55,5	56	56,5
18	km / h	10,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35	36,5	37,5	38,5	39,5	40,5	42	43	44	47,5	48,5	48,5	49	49,5	50
		12,0	19,5	22,5	25	27	29	30,5	32,5	34	35	36,5	38	39	40,5	42	43	44	45,5	46,5	48	52,5	53,5	54	54,5	55	55,5
		14,0	20,5	24	26,5	28,5	30,5	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	47,5	49	50,5	52	57,5	59	59,5	60	61	61,5
20	km / h	10,0	19	22	24,5	26,5	28	30	31,5	33	34	35,5	36,5	38	39	40,5	41,5	42,5	44	45	46	50	51	51,5	52	52,5	53
		12,0	20	23,5	26	28	30	32	33,5	35	36,5	38	39,5	41	42,5	44	45	46,5	48	49	50,5	55,5	57	57,5	58	58,5	59,5
		14,0	21,5	24,5	27,5	30	32	34	35,5	37,5	39	41	42,5	44	45,5	47	49	50,5	52	53,5	55	62	64	65	66,5	67,5	69,5
21	km / h	10,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41,5	42,5	43,5	45	46	47	51,5	52,5	53	53,5	54	54,5
		12,0	20,5	24	26,5	28,5	30,5	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	47,5	49	50,5	52	57,5	59	59,5	60	61	61,5
		14,0	21,5	25	28	30,5	32,5	34,5	36,5	38,5	40	41,5	43,5	45	46,5	48,5	50	51,5	53,5	55	57	65	67,5	69,5	-	-	-
24	km / h	10,0	20	23,5	26	28	30	32	33,5	35	36,5	38	39,5	41	42,5	44	45	46,5	48	49	50,5	55,5	57	57,5	58	58,5	59,5
		12,0	21,5	25	27,5	30	32,5	34,5	36	38	39,5	41,5	43	44,5	46,5	48	49,5	51	53	54,5	56	63,5	66	67,5	69	71,5	-
		14,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63	-	-	-	-	-	-
27	km / h	10,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	42	43,5	45	46,5	48	49,5	51	52,5	54	60,5	62	63	64	65	66
		12,0	22,5	26	29	31,5	34	36	38	40	42	43,5	45,5	47,5	49	51	53	54,5	56,5	59	61	-	-	-	-	-	-
		14,0	24	27,5	30,5	33,5	36	38,5	40,5	42,5	45	47	49	51	53,5	55,5	58	60,5	64	68	-	-	-	-	-	-	-
28	km / h	10,0	21,5	24,5	27,5	30	32	34	35,5	37,5	39	41	42,5	44	45,5	47	49	50,5	52	53,5	55	62	64	65	66,5	67,5	69,5
		12,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63	-	-	-	-	-	-
		14,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	59,5	62,5	66,5	-	-	-	-	-	-	-	-
30	km / h	10,0	22	25,5	28	30,5	33	35	36,5	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	58	66,5	70	-	-	-	-
		12,0	23,5	27	30	33	35	37,5	39,5	42	44	46	48	50	52	54	56	58,5	61	64	68	-	-	-	-	-	-
		14,0	24,5	28,5	32	35	37,5	40	42,5	45	47	49,5	52	54,5	57	60	63	67,5	-	-	-	-	-	-	-	-	-



kg / ha																											
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	590	610	620	630	640	650	
32	km / h	10,0	22,5	26	29	31,5	33,5	35,5	37,5	39,5	41,5	43,5	45	47	49	50,5	52,5	54,5	56	58,5	60,5	-	-	-	-	-	-
	12,0	24	27,5	31	33,5	36	38,5	41	43	45	47,5	49,5	51,5	54	56	58,5	61,5	65	69,5	-	-	-	-	-	-	-	
	14,0	25,5	29,5	32,5	35,5	38,5	41	43,5	46,5	49	51,5	54	56,5	59,5	63	67,5	-	-	-	-	-	-	-	-	-	-	-
33	km / h	10,0	22,5	26	29	31,5	34	36	38	40	42	44	46	47,5	49,5	51,5	53,5	55,5	57,5	59,5	62	-	-	-	-	-	-
	12,0	24	28	31	34	36,5	39	41,5	43,5	46	48	50,5	52,5	55	57,5	60	63	67	-	-	-	-	-	-	-	-	
	14,0	25,5	29,5	33	36	39	41,5	44,5	47	49,5	52	55	58	61	65	75	-	-	-	-	-	-	-	-	-	-	
36	km / h	10,0	23,5	27	30	33	35	37,5	39,5	42	44	46	48	50	52	54	56	58,5	61	64	68	-	-	-	-	-	-
	12,0	25	29	32,5	35	38	40,5	43	45,5	48	50,5	53	55,5	58	61	65	70,5	-	-	-	-	-	-	-	-	-	
	14,0	26,5	30,5	34,5	37,5	40,5	43,5	46,5	49	52	55	58	61,5	66,5	-	-	-	-	-	-	-	-	-	-	-	-	

**AMAZONE**

	Πλάτος εργασίας		Περιοριστής
	Streuschaufelpositionen		Mengenreduzierung Position
	Αριθμός στροφών δίσκων διανομής		Συντελεστής ροής
	λίπανση στα άκρα		Διάμετρος κόκκου
	λίπανση στα σύνορα		μαζική πυκνότητα
	Διασπορά στα σύνορα και σε τάφρους		

PTO	1 : 1.33	Αριθμός στροφών δίσκων διανομής
375		500
415		550
450		600
540		720
600		800
650		870
675		900
750		1000